

SHIMRIN FACTORY PACKS

BC | GLAMOUR METALLIC BASECOAT

Shimrin Metallic Color Bases (BC & C2C-BC) are universal basecoats in a simple Factory Pack system that may be cleared for a final finish, or used as a base for Kandys. The “C2C” version is Coast-2-Coast compliant, meeting all low-VOC regulatory limits, in a solvent-based system.

PRODUCT INFO
MIX RATIO: 2:1
SIZE AVAILABLE: Quart
FLASH TIME: 30 min to 4 hours at 70°F (21°C) before topcoating with House of Kolor Klear. Note: Shop conditions can vary flash time.
RU REDUCERS
RU300 /RU301/ RU310 / RU310 / RU311 / RU312 / RU313

COAST-2-COAST COMPLIANT DESIGNER PEARL OPTIONS
C2C-BC01 SOLAR GOLD
C2C-BC03 GALAXY GREY
NATIONAL RULE COMPLIANT DESIGNER PEARL OPTIONS
BC04 STRATTO BLUE
BC05 LAPIS BLUE
BC07 GAMMA GOLD
BC08 NOVA ORANGE
BC09 PLANET GREEN
BC10 PAVO PURPLE
BC11 CINDER RED
BC12 ZENITH GOLD
BC13 METEOR MAROON II

PBC | DESIGNER PEARL FACTORY PACK

Shimrin Designer Pearls (PBC & C2C-PBC) are universal basecoats in a simple Factory Pack system that may be cleared for a final finish, or used as a base for Kandys or other Pearls. The “C2C” version is Coast-2-Coast compliant, meeting all Low VOC regulatory limits, in a solvent-based system.

PRODUCT INFO
MIX RATIO: 2:1
SIZE AVAILABLE: Quart
FLASH TIME: 30 min to 4 hours at 70°F (21°C) before topcoating with House of Kolor Klear. Note: Shop conditions can vary flash time.
RU REDUCERS
RU300 /RU301/ RU310 / RU310 / RU311 / RU312 / RU313

COAST-2-COAST COMPLIANT DESIGNER PEARL OPTIONS
C2C-PBC31 SUNSET
C2C-PBC32 TANGELA
NATIONAL RULE COMPLIANT DESIGNER PEARL OPTIONS
PBC30 SUNRISE
PBC35 PINK
PBC36 TRUBLUE
PBC37 MAJIK BLUE
PBC38 LIMETIME
PBC39 HOT PINK
PBC40 VIOLET
PBC42 PLATINUM
PBC43 BLACK
PBC44 SNOWWHITE
PBC47 GOLDMINE
PBC48 CINNAMON
PBC49 SILVERWHITE
PBC64 ULTRA ORANGE
PBC65 PASSION
PBC66 BITTERSWEET II
PBC100 BLACK SPARKLE

MBC | METAJULS FACTORY PACK

Metajuls are an excellent choice for any Kandy finishes. The two MBC in the House of Kolor line help you to make Kandy's with exceptional sparkle in the sunlight. This product is for use in US National rule areas only.

PRODUCT INFO
MIX RATIO: 2:1
SIZE AVAILABLE: Quart
FLASH TIME: <ul style="list-style-type: none">• At 75°F, allow to flash 15 minutes or untill dull between each coat.• At 75°F, allow to flash 1 hour before sanding.• At 75°F, allow to flash 30 - 60 minutes, but no longer than 4 hours before topcoating. Note: Shop conditions can vary flash time.
RU REDUCERS
RU310 / RU310 / RU311 / RU312 / RU313

DESIGNER PEARL OPTIONS
MBC01 PALE GOLD
MBC04 PRISM EFFECT



HOUSE of KOLOR 
SPECIALTY PRODUCTS

SPECIALTY PRODUCTS

MB | MARBLIZER

Marblizer Artistic Bases offer you an exciting marble-like effect. A wide range of effects can be achieved using this unique coating such as, deep marble, snakeskin, or wood grain. Use two colors for increased depth or apply Kandy Koncentrates (KK) for desired effects. This product is for use in US National rule areas only.

PRODUCT INFO
MIX RATIO: READY-TO-SPRAY
SIZE AVAILABLE: Quart
FLASH TIME: 15 min between coats.
Note: Shop conditions can vary flash time.

MARBLIZER OPTIONS
MB00 NEUTRAL MARBLIZER
MB01 SILVER-WHITE MARBLIZER

TIPS AND TRICKS

- Marblizer bases may be Kandied with either UK Kandy or Kandy Basecoat.
- Create a custom Marblizer effect by adding any dry pearl or flake. Mix one ounce of effect per quart of MB00 Neutral Marblizer and spray.
- Other materials may be used to achieve various effects, such as freezer wrap, bubble pack, sponge, tin foil, newspaper, plastic car covers, plastic garbage bags, etc. For additional depth, try another Marblizer color over the first.
- 1-2 medium coats of C2C-SG100 must be applied over marblizer after 30 minutes of dry time, to prevent delamination of top coats.
- Marblizer must be topcoat with C2C-SG100 / C2C-SG150 prior to topcoat.

NE | NEON

Neons are designed for high visual impact for racecars, boats, cycles, etc., where colorfastness is not the priority. These colors have limited color fastness in the sun and will fade with prolonged sun exposure. Neons are not recommended for overall jobs where a long color life is a requirement. This product is for use in US National rule areas only.

PRODUCT INFO
MIX RATIO: 2:1
SIZE AVAILABLE: Quart
FLASH TIME:

- At 75°F, allow to flash 15 minutes or until dull between each new coat.
- At 75°F, allow to flash 1 hour before sanding.
- At 75°F, allow to flash 30-60 minutes, but no longer than 4 hours before topcoating.

Note: Shop conditions can vary flash time.

RU REDUCERS
RU310 / RU310 / RU311 / RU312 / RU313

NEON OPTIONS
NE505 YELLOW
NE502 PINK
NE503 ORANGE
NE504 RED
NE506 BLUE
NE507 GREEN
NE508 CHARTREUSE
NE510 VERMILLION

TIPS AND TRICKS

- ALL NEONS MUST BE CLEAR COATED.
- Do not apply heavy wet coats.
- For extended life, cover or sheild the neons from the sun whenever possible Neons will fade over time, based on sun exposure. Not for constant day to day exposure.
 - To increase life, mix 50/50 neon & S2-BC26 White. Creates a pastel base increasing life.
- Now apply pure neon mix, 2 to 3 coats after pastel application.

SG | GRAPHIC BASECOAT

Graphic kolors lend even more customization to the painter pallet with vivid graphic kolors. SG’s are universal basecoats that come in Low VOC and National rule compliant factory pack versions. These colors are great basecoats for also spicing up any KBC or kandy job.

PRODUCT INFO
MIX RATIO: 2:1
SIZE AVAILABLE: Quart
FLASH TIME: 30 min at 70°F (21°C)
Note: Shop conditions can vary flash time..

RU REDUCERS
RU300 /RU301/ RU310 / RU310 / RU311 / RU312 / RU313

COAST-2-COAST COMPLIANT GRAPHIC KOLOR OPTIONS
S2-SG01 MAROON
S2-SG02 GREEN
S2-SG03 MAGENTA
S2-SG04 YELLOW
S2-SG05 RED
S2-SG06 BLUE
S2-SG07 ORANGE

NATIONAL RULE COMPLIANT GRAPHIC KOLOR OPTIONS
SG101 LEMON YELLOW
SG102 CHROME YELLOW
SG103 MOLLY ORANGE
SG104 EURO RED
SG106 MALTISE MAROON
SG108 SO-BLUE
SG114 PINK

U | KOSMIC KOLOR URETHANE STRIPING & LETTERING ENAMEL

U - Striping & Lettering Enamels feature high pigmentation, and long open times. Apply over existing vehicle finishes or topcoat with clear for a smooth, durable finish. Our Striping & lettering enamels may be topcoated with any House of Kolor Klear. This product is for use in US National Rule areas only.

PRODUCT INFO
MIX RATIO:
Not Catalyzed (must be clear coated)

- 16 parts Urethane Striping Enamel
- 1 part Urethane Striping Reducer

Catalyzed

- 8 parts Urethane Striping Enamel
- 1 part Urethane Striping Catalyst

Optional: Add 0-5% U00 Urethane Striping Reducer
SIZE AVAILABLE: 4 Ounces
FLASH TIME: 5 - 10 min at 70°F (21°C)
Note: Shop conditions can vary flash time.

RU REDUCERS
U00 Striping Reducer

CATALYSTS
KU200 Striping Catalyst
(CATALYST NOT NEEDED IF TOPCOATING)

STRIPING KOLOR OPTIONS	
U01 BLACK	U15 LAVENDER
U02 WHITE	U16 TURQUOISE
U03 ROMAN RED	U23 MAROON
U04 ORANGE	U24-II RICH GOLD II
U05 IMITATION GOLD	U25 BRIGHT YELLOW
U06 LEMON YELLOW	U26 CARDINAL RED
U07 CHROME YELLOW	U27 HOT PINK
U08 BRINDLE BROWN	U29 VIOLET
U09 LITE BLUE	U30 PROCESS BLUE
U10 ROYAL BLUE	U31 AQUA
U11 PALE GOLD	U32 LIME GREEN
U12 SILVER	U33 PROCESS GREEN
U13 GREEN	U34 TAN
U14 MAGENTA	U35 LIGHT BROWN

KLG | KOSMIC LONG GLO

The Kosmic Long-Glo has demonstrated better light-fastness when applied over a white base. We recommend using Kosmic Long-Glo with discretion—even though the color may change with time and exposure, the glow-in-the-dark feature remains for a long time. This product appears milky white during daylight and only shows the glo color at night.

PRODUCT INFO
SIZE AVAILABLE: 4 Ounces

KOSMIC LONG GLO OPTIONS
KLG100 GREEN
KLG102 BLUE

DP | DRY PEARL

DP Series pearls can be mixed with all House of Kolor products such as; C2C-SG100 Intercoat, S2-00 Trans Nebulae and House of Kolor basecoats.

PRODUCT INFO
SIZE AVAILABLE: 2 Ounces

DRY PEARL OPTIONS
DP12 RAZBERRY
DP19 GLINT GOLD
DP20 ROSETTA RED
DP21 LAZULI BLUE
DP23 EGYPTIAN GOLD
DP24 ALABASTER WHITE
DP25-II LITE ORANGE II
DP26 DEEP ORANGE
DP27 VIOLET
DP29 GREEN
DP30 TURQUOISE
DP32 LILAC
DP33 GLADE GREEN
DP24 INCA GOLD
DP39 LAVENDER
DP42 BLUEBERRY

IP | ICE PEARL

IP Series pearls can be mixed with all House of Kolor products such as; C2C-SG100 Intercoat, S2-00 Trans Nebulae and House of Kolor basecoats.

PRODUCT INFO
SIZE AVAILABLE: 2 Ounces

ICE PEARL
IPII01 ICE GOLD II
IPII02 ICE WHITE II
IPII03 ICE RED II
IPII04 ICE VIOLET II
IPII05 ICE BLUE II
IPII06 ICE GREEN II
IPII07 ICE TURQUOISE II

F | FLAKES

Flakes are another creative tool for the Kustom painter, and offered in different grain sizes.

PRODUCT INFO
SIZE AVAILABLE: 3 Ounces / 6 Ounces

FLAKE AMOUNT NEEDED PER SPRAYABLE MIXED QUART		
PRODUCT	DARK BASE	LIGHT BASE
F14 RAINBO (1/64)	4-12 Tbls	12 Tbls
F15 SILVER (1/64)	4-12 Tbls	12 Tbls
F17 DARK GOLD	1-3 Tbls	3 Tbls
F20 RED	1-3 Tbls	3 Tbls
F22 ROYAL BLUE II	1-3 Tbls	3 Tbls
F23 GREEN	4-12 Tbls	12 Tbls
F28 KAMEN BLUE	3-9 Tbls	9 Tbls
F32 FIREBALL	1-3 Tbls	3 Tbls
MF01 GOLD MINI FLAKE	1-3 Tbls	3 Tbls
MF02 SILVER MINI FLAKE	1-3 Tbls	3 Tbls
UMF01 ULTRA GOLD MINI	1-3 Tbls	3 Tbls
UMF02 ULTRA SILVER MINI	1-3 Tbls	3 Tbls
UMF03 ULTRA RAINBO MINI	1-3 Tbls	3 Tbls
UMF04 ULTRA RAINBO MINI	1-3 Tbls	3 Tbls